

# THE MOTHS AND BUTTERFLIES OF BIRCHANGER WOOD

This list is of moths and butterflies recorded in the last few years in the wood, or recorded nearby in the town and which may reasonably be expected in the wood. It does not include rarities recorded in the town, nor wetland species found in the adjacent Stort Valley. The microlepidoptera are not included: a list of these recorded in the Bishop's Stortford area, together with notes on the macrolepidoptera, may be obtained from the Bishop's Stortford Natural History Society.

## HEPIALIDAE

Orange Swift	<i>Hepialus sylvina</i> (Linn.)
Common Swift	<i>Hepialus lupulinus</i> (Linn.)
Ghost Moth	<i>Hepialus humuli</i> (Linn.)

## COSSIDAE

Leopard Moth	<i>Zeuzera pyrina</i> (Linn.)
--------------	-------------------------------

## BUTTERFLIES

### HESPERIIDAE

Small Skipper	<i>Thymelicus sylvestris</i> (Poda)
Essex Skipper	<i>Thymelicus lineola</i> (Ochs.)
Large Skipper	<i>Ochlodes venata</i> (Brem. & Grey)

### PIERIDAE

The Brimstone	<i>Gonepteryx rhamni</i> (Linn.)
Large White	<i>Pieris brassicae</i> (Linn.)
Small White	<i>Pieris rapae</i> (Linn.)
Green-veined White	<i>Pieris napi</i> (Linn.)
Orange-tip	<i>Anthocharis cardamines</i> (Linn.)

### LYCAENIDAE

Purple Hairstreak	<i>Quercusia quercus</i> (Linn.)
Holly Blue	<i>Celastrina argiolus</i> (Linn.)

### NYMPHALIDAE

Red Admiral	<i>Vanessa atalanta</i> (Linn.)
Small Tortoiseshell	<i>Aglais urticae</i> (Linn.)
The Peacock	<i>Inachis io</i> (Linn.)
The Comma	<i>Polygonia c-album</i> (Linn.)

### SATYRIDAE

Speckled Wood	<i>Pararge aegeria</i> (Linn.)
The Gatekeeper	<i>Pyronia tithonus</i> (Linn.)

The Ringlet

*Aphantopus hyperantus* (Linn.)

## MOTHS

### LASIOCAMPIDAE

December Moth

*Poecilocampa populi* (Linn.)

The Lackey

*Malacosoma neustria* (Linn.)

The Drinker

*Euthrix potatoria* (Linn.)

### DREPANIDAE

Oak Hook-tip

*Watsonalla binaria* (Hufn.)

Pebble Hook-tip

*Drepana falcataria* (Linn.)

Chinese Character

*Cilix glaucata* (Scop.)

### THYATIRIDAE

Peach Blossom

*Thyatira batis* (Linn.)

Buff Arches

*Habrosyne pyritoides* (Hufn.)

Figure of Eighty

*Tethea ocularis octogesimea* (Hb.)

Poplar Lutestring

*Tethea or* (D.& S.)

Yellow Horned

*Achlya flavicornis galbanus* (Tutt)

Frosted Green

*Polyploca ridens* (Fabr.)

### GEOMETRIDAE

(The Light Orange Underwing, *Archiearis notha* (Hb.), was recorded in the wood years ago, but it is unclear whether recent sightings were of this species or of the Orange Underwing *Archiearis parthenias*).

March Moth

*Alsophila aescularia* (D.& S.)

Large Emerald

*Geometra papilionaria* (Linn.)

Blotched Emerald

*Comibaena bajularia* (D.& S.)

Common Emerald

*Hemithea aestivaria* (Hb.)

Small Emerald

*Hemistola chrysoprasaria* (Esp.)

Little Emerald

*Jodis lactearia* (Linn.)

Maiden's Blush

*Cyclophora punctaria* (Linn.)

Blood-vein

*Timandra comae* (Schmidt)

Small Blood-vein

*Scopula imitaria* (Hb.)

Least Carpet

*Idaea vulpinaria atrosignaria* (Lempke)

Small Fan-footed Wave

*Idaea biselata* (Hufn.)

Dwarf Cream Wave

*Idaea fuscovenosa* (Goeze)

Small Dusty Wave

*Idaea seriata* (Schr.)

Single-dotted Wave

*Idaea dimidiata* (Hufn.)

Treble Brown Spot

*Idaea trigeminata* (Haw.)

Small Scallop

*Idaea emarginata* (Linn.)

Riband Wave

*Idaea aversata* (Linn.)

Red Twin-spot Carpet	<i>Xanthorhoe spadicearia</i> (D.& S.)
Dark-barred Twin-spot Carpet	<i>Xanthorhoe ferrugata</i> (Cl.)
Large Twin-spot Carpet	<i>Xanthorhoe quadrifasiata</i> (Cl.)
Silver-ground Carpet	<i>Xanthorhoe montanata</i> (D.& S.)
Garden Carpet	<i>Xanthorhoe fluctuate</i> (Linn.)
Shaded Broad-bar	<i>Scotopteryx chenopodiata</i> (Linn.)
Common Carpet	<i>Epirrhoe alternata</i> (Mull.)
Yellow Shell	<i>Camptogramma bilineata</i> (Linn.)
The Mallow	<i>Larentia clavaria</i> (Haw.)
Shoulder Stripe	<i>Anticlea badiata</i> (D.& S.)
The Streamer	<i>Anticlea derivata</i> (D.& S.)
Water Carpet	<i>Lampropteryx suffumata</i> (D.& S.)
Purple Bar	<i>Cosmorhoe ocellata</i> (Linn.)
The Phoenix	<i>Eulithis prunata</i> (Linn.)
The Spinach	<i>Eulithis mellinata</i> (Fabr.)
Barred Straw	<i>Eulithis pyraliata</i> (D.& S.)
Small Phoenix	<i>Ecliptopera silaceata</i> (D.& S.)
Red-green Carpet	<i>Chloroclysta siterata</i> (Hufn.)
Dark Marbled Carpet	<i>Chloroclysta citrata</i> (Linn.)
Common Marbled Carpet	<i>Chloroclysta truncata</i> (Hufn.)
Barred Yellow	<i>Cidaria fulvata</i> (Forst.)
Blue-bordered Carpet	<i>Plemyria rubiginata</i> (D.& S.)
Grey Pine Carpet	<i>Thera obeliscata</i> (Hb.)
Juniper Carpet	<i>Thera juniperata juniperata</i> (Linn.)
Broken-barred Carpet	<i>Electrophaes corylata</i> (Thunb.)
Green Carpet	<i>Colostygia pectinataria</i> (Knoch)
July Highflyer	<i>Hydriomena furcata</i> (Thunb.)
Small Waved Umber	<i>Horisme vitalbata</i> (D.& S.)
The Fern	<i>Horisme tersata</i> (D.& S.)
Brown Scallop	<i>Philereme vetulata</i> (D.& S.).
Dark Umber	<i>Philereme transversata</i> (Hufn.)
November Moth	<i>Epirrita dilutata</i> (D.& S.)
Winter Moth	<i>Operophtera brumata</i> (Linn.)
The Rivulet	<i>Perizoma affiniata</i> (Steph.)
Small Rivulet	<i>Perizoma alchemillata</i> (Linn.)
Barred Rivulet	<i>Perizoma bifaciata</i> (Haw.)
Sandy Carpet	<i>Perizoma flavofasciata</i> (Thunb.)
Maple Pug	<i>Eupithecia inturbata</i> (Hb.)
Foxglove Pug	<i>Eupithecia pulchellata</i> (Steph.)
Mottled Pug	<i>Eupithecia exiguata</i> (Hb.)
Lime-speck Pug	<i>Eupithecia centaureata</i> (D.& S.)

Freyer's Pug	<i>Eupithecia intricata arceuthata</i> (Freyer)
Wormwood Pug	<i>Eupithecia absinthiata</i> (Cl.)
Common Pug	<i>Eupithecia vulgata</i> (Haw.)
White-spotted Pug	<i>Eupithecia tripunctaria</i> H.-S.
Grey Pug	<i>Eupithecia subfuscata</i> (Haw.)
Tawny-speckled Pug	<i>Eupithecia icterata</i> (Vill.)
Bordered Pug	<i>Eupithecia succenturiata</i> (Linn.)
Shaded Pug	<i>Eupithecia subumbrata</i> (D.& S.)
Ochreous Pug	<i>Eupithecia indigata</i> (Hb.)
Ash Pug	<i>Eupithecia fraxinata</i> Crewe
Brindled Pug	<i>Eupithecia abbreviata</i> Steph.
Oak-tree Pug	<i>Eupithecia dodoneata</i> Guen.
The V-Pug	<i>Chloroclystis v-ata</i> (Haw.)
Green Pug	<i>Chloroclystis rectangulata</i> (Linn.)
Double-striped Pug	<i>Gymnoscalis rufifasciata</i> (Haw.)
Small White Wave	<i>Asthena albulata</i> (Hufn.)
Small Yellow Wave	<i>Hydrelia flammeolaria</i> (Hufn.)
The Seraphim	<i>Lobophora halterata</i> (Hufn.)
Yellow-barred Brindle	<i>Acasis viretata</i> (Hb.)
The Magpie	<i>Abraxas grossulariata</i> (Linn.)
Clouded Border	<i>Lomaspilis marginata</i> (Linn.)
Scorched Carpet	<i>Ligdia adustata</i> (D.& S.)
Tawny-barred Angle	<i>Macaria liturata</i> (Cl.)
Latticed Heath	<i>Chiasmia clathrata</i> (Linn.)
Brown Silver-line	<i>Petrophora chlorosata</i> (Scop.)
Scorched Wing	<i>Plagodis dolabraria</i> (Linn.)
Brimstone Moth	<i>Opisthograptis luteolata</i> (Linn.)
Lilac Beauty	<i>Apeira syringaria</i> (Linn.)
Canary-shouldered Thorn	<i>Ennomos alniaria</i> (Linn.)
Dusky Thorn	<i>Ennomos fuscantaria</i> (Haw.)
September Thorn	<i>Ennomos erosaria</i> (D.& S.)
Early Thorn	<i>Selenia dentaria</i> (Fabr.)
Purple Thorn	<i>Selenia tetralunaria</i> (Hufn.)
Scalloped Hazel	<i>Odontopera bidentata</i> (Cl.)
Scalloped Oak	<i>Crocallis elinguarina</i> (Linn.)
Swallow-tailed Moth	<i>Ourapteryx sambucaria</i> (Linn.)
Feathered Thorn	<i>Colotois pennaria</i> (Linn.)
Small Brindled Beauty	<i>Apocheima hispidaria</i> (D.& S.)
Pale Brindled Beauty	<i>Apocheima pilosaria</i> (D.& S.)
Brindled Beauty	<i>Lycia hirtaria</i> (Cl.)
Oak Beauty	<i>Biston strataria</i> (Hufn.)

Peppered Moth  
Spring Usher  
Scarce Umber  
Dotted Border  
Mottled Umber  
Waved Umber  
Willow Beauty  
Mottled Beauty  
Great Oak Beauty  
Pale Oak Beauty  
The Engrailed  
Small Engrailed  
Brindled White-spot  
Grey Birch  
Common White Wave  
Common Wave  
White-pinion Spotted  
Clouded Silver  
Early Moth  
Light Emerald

### **SPHINGIDAE**

Privet Hawk-moth  
Pine Hawk-moth  
Lime Hawk-moth  
Eyed Hawk-moth  
Poplar Hawk-moth  
Elephant Hawk-moth

### **NOTODONTIDAE**

Buff-tip  
Puss Moth  
Sallow Kitten  
Poplar Kitten  
Iron Prominent  
Pebble Prominent  
Lesser Swallow Prominent  
Swallow Prominent  
Coxcomb Prominent  
Maple Prominent  
Pale Prominent  
Lunar Marbled Brown

*Biston betularia* (Linn.)  
*Agriopsis leucophaearia* (D.& S.)  
*Agriopsis aurantiaria* (Hb.)  
*Agriopsis marginaria* (Fabr.)  
*Erannis defoliaria* (Cl.)  
*Menophra abruptaria* (Thunb.)  
*Peribatodes rhomboidaria* (D.& S.)  
*Alcis repandata* (Linn.)  
*Hypomecis roboraria* (D.& S.)  
*Hypomecis punctinalis* (Scop.)  
*Ectropis bistortata* (Goeze)  
*Ectropis crepuscularia* (D.& S.)  
*Parectropis similaria* (Hufn.)  
*Aethalura punctulata* (D.& S.)  
*Cabera pusaria* (Linn.)  
*Cabera exanthemata* (Scop.)  
*Lomographa bimaculata* (Fabr.)  
*Lomographa temerata* (D.& S.)  
*Theria primeria* (Haw.)  
*Campaea margaritata* (Linn.)

*Sphinx ligustri* (Linn.)  
*Hyloicus pinastri* (Linn.)  
*Mimas tiliae* (Linn.)  
*Smerinthus ocellata* (Linn.)  
*Laothoe populi* (Linn.)  
*Deilephila elpenor* (Linn.)

*Phalera bucephala* (Linn.)  
*Cerura vinula* (Linn.)  
*Furcula furcula* (Cl.)  
*Furcula bifida* (Brahm)  
*Notodonta dromedarius* (Linn.)  
*Notodonta ziczac* (Linn.)  
*Pheosia gnoma* (Fabr.)  
*Pheosia tremula* (Cl.)  
*Ptilodon capucina* (Linn.)  
*Ptilodon cucullina* (D.& S.)  
*Pterostoma palpina* (Cl.)  
*Drymonia ruficornis* (Hufn.)

Chocolate-tip  
Figure of Eight

### **LYMANTRIIDAE**

The Vapourer  
Pale Tussock  
Yellow-tail  
Black Arches

### **ARCTIIDAE**

Scarce Footman  
Common Footman  
White Ermine  
Buff Ermine  
Muslin Moth  
Ruby Tiger  
The Cinnabar

### **NOLIDAE**

Short-cloaked Moth  
Least Black Arches

### **NOCTUIDAE**

Garden Dart  
Turnip Moth  
Heart and Club  
Heart and Dart  
Dark Swordgrass  
Shuttle-shaped Dart  
The Flame  
Flame Shoulder  
Large Yellow Underwing  
Lesser Yellow Underwing  
Broad-bordered Yellow Underwing  
Lesser Broad-bordered Yellow Underwing  
Least Yellow Underwing  
Double Dart  
Pearly Underwing  
Ingrailed Clay  
Small Square-spot  
Setaceous Hebrew Character  
Double Square-spot

*Clostera curtula* (Linn.)  
*Diloba caeruleocephala* (Linn.)

*Orgyis antiqua* (Linn.)  
*Calliteara pudibunda* (Linn.)  
*Euproctis similis* (Fuess.)  
*Lymantria monacha* (Linn.)

*Eilema complana* (Linn.)  
*Eilema lurideola* (Zinck.)  
*Spilosoma lubricipeda* (Linn.)  
*Spilosoma lutea* (Hufn.)  
*Diaphora mendica* (Cl.)  
*Phragmatobia fuliginosa* (Linn.)  
*Tyria jacobaeae* (Linn.)

*Nola cucullatella* (Linn.)  
*Nola confusalis* (H.-S.)

*Euxoa nigricans* (Linn.)  
*Agrotis segetum* (D. & S.)  
*Agrotis clavis* (Hufn.)  
*Agrotis exclamationis* (Linn.)  
*Agrotis ipsilon* (Hufn.)  
*Agrotis puta* (Hb.)  
*Axelia putris* (Linn.)  
*Ochropleura plecta* (Linn.)  
*Noctua pronuba* (Linn.)  
*Noctua comes* (Hb.)  
*Noctua fimbriata* (Schreb.)  
*Noctua janthe* (Borkh.)  
*Noctua interjecta caliginosa* Schaw.  
*Graphiphora augur* (Fabr.)  
*Peridroma saucia* (Hb.)  
*Diarsia mendica* (Fabr.)  
*Diarsia rubi* (View.)  
*Xestia c-nigrum* (Linn.)  
*Xestia triangulum* (Hufn.)

Six-striped Rustic	<i>Xestia sexstrigata</i> (Haw.)
Square-spot Rustic	<i>Xestia xanthographa</i> (D.& S.)
The Gothic	<i>Naenia typica</i> (Linn.)
Green Arches	<i>Anaplectoides prasina</i> (D.& S.)
Red Chestnut	<i>Cerastis rubricosa</i> (D.& S.)
The Nutmeg	<i>Discestra trifolii</i> (Hufn.)
The Shears	<i>Hada plebeja</i> (Linn.)
Grey Arches	<i>Polia nebulosa</i> (Hufn.)
Cabbage Moth	<i>Mamestra brassicae</i> (Linn.)
Dot Moth	<i>Melanchra persicariae</i> (Linn.)
Light Brocade	<i>Lacanobia w-latinum</i> (Hufn.)
Pale-shouldered Brocade	<i>Lacanobia thalassina</i> (Hufn.)
Bright-line Brown-eye	<i>Lacanobia oleracea</i> (Linn.)
Broom Moth	<i>Melanchra pisi</i> (Linn.)
Broad-barred White	<i>Hecatera bicolorata</i> (Hufn.)
The Champion	<i>Hadena rivularis</i> (Fabr.)
Tawny Shears	<i>Hadena perplexa</i> (D.& S.)
Varied Coronet	<i>Hadena compta</i> (D.& S.)
The Lychnis	<i>Hadena bicruris</i> (Hufn.)
Feathered Gothic	<i>Tholera decimalis</i> (Poda)
Pine Beauty	<i>Panolis flammea</i> (D.& S.)
Small Quaker	<i>Orthosia cruda</i> (D.& S.)
Lead-coloured Drab	<i>Orthosia populeti</i> (Fabr.)
Powdered Quaker	<i>Orthosia gracilis</i> (D.& S.)
Common Quaker	<i>Orthosia cerasi</i> (Fabr.)
Clouded Drab	<i>Orthosia incerta</i> (Hufn.)
Twin-spotted Quaker	<i>Orthosia munda</i> (D.& S.)
Hebrew Character	<i>Orthosia gothica</i> (Linn.)
Brown-line Bright-line	<i>Mythimna conigera</i> (D.& S.)
The Clay	<i>Mythimna ferrago</i> (Fabr.)
Smoky Wainscot	<i>Mythimna impura</i> (Hb.)
Common Wainscot	<i>Mythimna pallens</i> (Linn.)
Shoulder-striped Wainscot	<i>Mythimna obsoleta</i> (Hb.)
The Shark	<i>Cucullia umbratica</i> (Linn.)
The Mullein	<i>Shargacucullia verbasci</i> (Linn.)
Minor Shoulder-knot	<i>Brachylomia viminalis</i> (Fabr.)
The Sprawler	<i>Brachionycha sphinx</i> (Hufn.)
Deep-brown Dart	<i>Aporophyla lutulenta</i> (D.& S.)
Black Rustic	<i>Aporophyla nigra</i> (Haw.)
Tawny Pinion	<i>Lithophane semibrunnea</i> (Haw.)
Grey Shoulder-knot	<i>Lithophane ornitopus lactipennis</i> (Dadd)

Blair's Shoulder-knot	<i>Lithophane leautieri hesperica</i> Bours.
Early Grey	<i>Xylocampa areola</i> (Esp.)
Green-brindled Crescent	<i>Allophyes oxyacanthae</i> (Linn.)
Merveille du Jour	<i>Dichonia aprilina</i> (Linn.)
Brindled Green	<i>Dryobotodes eremita</i> (Fabr.)
Dark Brocade	<i>Blepharita adusta</i> (Esp.)
Large Ranunculus	<i>Polymixis flavicincta</i> (D.& S.)
The Satellite	<i>Eupsilia transversa</i> (Hufn.)
The Chestnut	<i>Conistra vaccinii</i> (Linn.)
Dark Chestnut	<i>Conistra ligula</i> (Esp.)
The Brick	<i>Agrochola circellaris</i> (Hufn.)
Red-line Quaker	<i>Agrochola lota</i> (Cl.)
Yellow-line Quaker	<i>Agrochola macilentata</i> (Hb.)
Brown-spot Pinion	<i>Agrochola litura</i> (Linn.)
Beaded Chestnut	<i>Agrochola lychnidis</i> (D.& S.)
Centre-barred Sallow	<i>Atethmia centrago</i> (Haw.)
Lunar Underwing	<i>Omphaloscelis lunosa</i> (Haw.)
Barred Sallow	<i>Xanthia aurago</i> (D.& S.)
Pink-barred Sallow	<i>Xanthia togata</i> (Esp.)
The Sallow	<i>Xanthia icteritia</i> (Hufn.)
Poplar Grey	<i>Acronicta megacephala</i> (D.& S.)
The Sycamore	<i>Acronicta aceris</i> (Linn.)
The Miller	<i>Acronicta leporina</i> (Linn.)
Grey Dagger	<i>Acronicta psi</i> (Linn.)
Knot Grass	<i>Acronicta rumicis</i> (Linn.)
Marbled Beauty	<i>Cryphia domestica</i> (Hufn.)
Copper Underwing	<i>Amphipyra pyramidea</i> (Linn.)
Svensson's Copper Underwing	<i>Amphipyra berbera svenssoni</i> Flecth.
Mouse Moth	<i>Amphipyra tragopoginis</i> (Cl.)
Old Lady	<i>Mormo maura</i> (Linn.)
Bird's Wing	<i>Dypterygia scabriuscula</i> (Linn.)
Brown Rustic	<i>Rusina ferruginea</i> (Esp.)
Straw Underwing	<i>Thalpophila matura</i> (Hufn.)
Small Angle Shades	<i>Euplexia lucipara</i> (Linn.)
Angle Shades	<i>Phlogophora meticulosa</i> (Linn.)
The Olive	<i>Ipimorpha subtusa</i> (D.& S.)
Dingy Shears	<i>Parastichtis ypsilon</i> (D.& S.)
Lesser-spotted Pinion	<i>Cosmia affinis</i> (Linn.)
The Dun-bar	<i>Cosmia trapezina</i> (Linn.)
Lunar-spotted Pinion	<i>Cosmia pyralina</i> (D.& S.)
Dark Arches	<i>Apamea monoglypha</i> (Hufn.)



Light Arches	<i>Apamea lithoxylaea</i> (D.& S.)
Clouded-bordered Brindle	<i>Apamea crenata</i> (Hufn.)
Clouded Brindle	<i>Apamea epomidion</i> (Haw.)
Dusky Brocade	<i>Apamea remissa</i> (Hb.)
Small Clouded Brindle	<i>Apamea unanimitis</i> (Hb.)
Large Nutmeg	<i>Apamea anceps</i> (D.& S.)
Rustic Shoulder-knot	<i>Apamea sordens</i> (Hufn.)
Slender Brindle	<i>Apamea scolopacina</i> (Esp.)
Double Lobed	<i>Apamea ophiogramma</i> (Esp.)
Marbled Minor	<i>Oligia strigilis</i> (Linn.)
Tawny Marbled Minor	<i>Oligia latruncula</i> (D.& S.)
Middle-barred Minor	<i>Oligia fasciuncula</i> (Haw.)
Cloaked Minor	<i>Mesoligia furuncula</i> (D.& S.)
Common Rustic	<i>Mesapamea secalis</i> (Linn.)
Lesser Common Rustic	<i>Mesapamea didyma</i> (Esp.)
Small Dotted Buff	<i>Photodes minima</i> (Haw.)
Dusky Sallow	<i>Eremobia ochroleuca</i> (D.& S.)
Flounced Rustic	<i>Luperina testacea</i> (D.& S.)
Rosy Rustic	<i>Hydraecia micacea</i> (Esp.)
Frosted Orange	<i>Gortyna flavago</i> (D.& S.)
Large Wainscot	<i>Rhizedra lutosa</i> (Hb.)
Treble Lines	<i>Charanyca trigammica</i> (Hufn.)
The Uncertain	<i>Hoplodrina alsines</i> (Brahm)
The Rustic	<i>Hoplodrina blanda</i> (D.& S.)
Vine's Rustic	<i>Hoplodrina ambigua</i> (D.& S.)
Mottled Rustic	<i>Caradrina morpheus</i> (Hufn.)
Pale Mottled Willow	<i>Paradrina clavipalpis</i> (Scop.)
Scarce Silver-lines	<i>Bena bicolorana</i> (Fuessly)
Green Silver-lines	<i>Pseudoips prasinana britannica</i> Warren
Oak Nycteoline	<i>Nycteola revayana</i> (Scop.)
Nut-tree Tussock	<i>Colocasia coryli</i> (Linn.)
Burnished Brass	<i>Diachrysia chrysitis</i> (Linn.)
Silver Y	<i>Autographa gamma</i> (Linn.)
Beautiful Golden Y	<i>Autographa pulchrina</i> (Haw.)
Plain Golden Y	<i>Autographa jota</i> (Linn.)
The Spectacle	<i>Abrostola tripartita</i> (Hufn.)
Red Underwing	<i>Catocala nupta</i> (Linn.)
The Blackneck	<i>Lygephila pastinum</i> (Treit.)
The Herald	<i>Scoliopteryx libatrix</i> (Linn.)
Beautiful Hook-tip	<i>Laspeyria flexula</i> (D.& S.)
Straw Dot	<i>Rivula sericealis</i> (Scop.)

The Snout  
The Fan-foot  
Small Fan-foot

*Hypena proboscidalis* (Linn.)  
*Zanclognatha tarsipennalis* (Treit.)  
*Herminia grisealis* (D.& S.)